

# DR2-TB2



Up to 16TB

Big storage for video & photo.

# Thunderbolt 2.

The fastest, most versatile I/O in any desktop. Of any size.

UP TO  
**25x**  
FASTER THAN  
FIREWIRE 800



Thunderbolt 2 technology in DR2-TB2 is phenomenally fast. The two Thunderbolt 2 ports on DR2-TB2 features dual 20-Gbps channels for data transfer and that's up to four times faster than USB 3.0. But beyond speed, Thunderbolt gives you unprecedented expansion capabilities. You can daisy-chain as many as six Thunderbolt devices to a single port.

The DR2-TB2 built-in with two disk configuration modes: RAID 1 (Safe Mode), RAID 0 (Speed Mode), and JBOD (Two Independent Volumes) for you to choose according to your needs.

## JBOD Mode

### JBOD function provides two independent disk data access convenience

In this mode, you can install two disks that have different volumes and use them independently. There is no RAID configuration and without special safety or speed differences. You can also use this mode in apply with other STARDOM modules.

## RAID Mode 0

### JBOD function provides two independent disk data access convenience


In this mode, you can install two disks that have different volumes and use them independently. There is no RAID configuration and without special safety or speed differences. You can also use this mode in apply with other STARDOM modules.

## RAID Mode 1

### JBOD function provides two independent disk data access convenience

In this mode, you can install two disks that have different volumes and use them independently. There is no RAID configuration and without special safety or speed differences. You can also use this mode in apply with other STARDOM modules.

# Thunderbolt 2 With DR2-TB2




## Stylish and rugged

The DR2-TB2 has a sleek exterior design that'll never go out of style when placed next to your Mac. It's also built tough with three millimeter thickness aluminum to shield the enclosed drives durably and to dissipate the heat created by the drives faster for the drives to work comfortably.

## Stylish and rugged

The DR2-TB2 has a sleek exterior design that'll never go out of style when placed next to your Mac. It's also built tough with three millimeter thickness aluminum to shield the enclosed drives durably and to dissipate the heat created by the drives faster for the drives to work comfortably.



## Stylish and rugged

The DR2-TB2 has a sleek exterior design that'll never go out of style when placed next to your Mac. It's also built tough with three millimeter thickness aluminum to shield the enclosed drives durably and to dissipate the heat created by the drives faster for the drives to work comfortably.

## Stylish and rugged

The DR2-TB2 has a sleek exterior design that'll never go out of style when placed next to your Mac. It's also built tough with three millimeter thickness aluminum to shield the enclosed drives durably and to dissipate the heat created by the drives faster for the drives to work comfortably.



## To help you complete your photography projects




With two ultrafast Thunderbolt 2 ports, you can build a photo studio around iMac and DR2-TB2. Or take them with you and import thousands of RAW images on location. Once your photos are on your computer, editing in Aperture is faster and more responsive than before.

DR2-TB2's RAID 0 mode lets you quickly browse large image libraries from external storage. So you have instant access to any photo in your library.

## DR2-TB2 Specification

### Product Views



**A** HDD Access Indicator

**D** Power Switch

**G** RAID Dip-switch

**B** Removable drive tray

**E** Power Socket

**H** Hidden Reset Button

**C** HDD tray key lock

**F** Thunderbolt Connector

**I** Anti-theft cord slot

## Specification

Model no.	DR2-TB2
Interface	Thunderbolt 2 Port x 2 ( up to 20 Gbps )
Support Hard Drive	2 x 3.5" /2.5" SATA HDD/SSD ( up to 6 Gbps ) / Support large volume up to 8TB
RAID Level	2 x Independent ( JBOD ) / RAID 0 / RAID 1
Electrical and Operating Requirements	* Line voltage: 100-240V AC * Frequency: 50Hz to 60Hz, single phase * Maximum continuous power: 60W * Operating temperature: 50° to 95° F (10° to 35° C) * Storage temperature: -4° to 113° F (-20° to 45° C) * Relative humidity: 5% to 95% noncondensing
Cooling System	4 cm Low noise fan x 2
LED Indicators	Yes
Dimension	122(W)×102(H)×245.6(L) mm
Product Code	EAN: 4711132864953 UPC: 884826503637
Carton	8 pcs per carton
Packing Content	* DR2-TB2 Product Unit x1(Removable Tray x2) * Thunderbolt Cable x 1 * Power Cord x1 * CD x1 * Quick Installation Guide x1

### Stardom Headquarter

7F-9, No.16, Lane 609, Sec.5, Chung-Hsin Rd.,  
241 San-Chung Dist., New Taipei City, Taiwan  
Website : [www.stardom.com.tw](http://www.stardom.com.tw)  
E-mail : [service@stardom.com.tw](mailto:service@stardom.com.tw)



Distributor